VOSS //VFOD A T A S H E E T









INAP-Defender

safety helmet according to EN 397

Application field

- · construction zones
- · industrial firms
- cold zones of construction and industry where the use of safety helmets is required

Shell

- · manufactured from Polyethylene (PE)
- · comfortable fitting with helmet shell drawn down at the neck
- · lateral slots for ear defenders (30 mm)
- · recesses in the ear area for better fitting of ear defenders
- · rain gutter
- · holes for effective ventilation

Harness

- · 4- or 6-point webbed harness with chin strap fastenings
- · angled neckband
- · exchangeable highly absorbent sweatband

Additional testing

· temperatures down to -30 °C

Durability

· up to 5 years

Size adjustment

 \cdot I - III / from 51 - 64 cm in steps of 0,5 cm

Weight of shell

· approx. 255 g

Packing details

· up to 30 helmets per model or colour in one box

Individualization

 \cdot Application of logos by silk screen method or self-adhesive foil,

reflective stripes, material dyeing in special color or

fluorescent colour

Size of logos

- · front: approx. 60 x 40 mm / side: approx. 80 x 20 mm
- Accessories/Spare parts · Chin strap, VOSS-Lock ratchet, ear defenders, face protection

Colours Part No. Sulfur yellow / RAL1016 4-Pnt-web. Harn. 11601016 6-Pnt-web. Harn. 11651016

- ----

Traffic orange / RAL2009

4-Pnt-web. Harn. 11602009 6-Pnt-web. Harn. 11652009

Carmine red / RAL3002 4-Pnt-web. Harn. 11603002 6-Pnt-web. Harn. 11653002

4-Pnt-web. Harn. 11606029 6-Pnt-web. Harn. 11656029

Signal blue / RAL5005

4-Pnt-web. Harn. 11605005 6-Pnt-web. Harn. 11655005

Signal white / RAL9003

4-Pnt-web. Harn. 11609003 6-Pnt-web. Harn. 11659003

Mint green / RAL6029

If you have any questions regarding our safety helmets or accessories please do not hesitate to get in contact with us at any time. VOSS-HELME GmbH & Co. KG, Kokenhorststraße 24, 30938 Burgwedel/Germany

Tel.: +49 (0)5139 - 95 95 30 Fax: +49 (0)5139 - 95 95 39 Email: info@VOSS-HELME.de